

A superb aluminium entrance door system



The perfect first impression

So that you will love coming home even more



The high-quality components guarantee perfection even with basic equipment

Make your home secure, energy-efficient and beautiful

en.mik-ce.si

CALL

+386 3 425 50 50



SUPERB COMPONENTS

Elegance Line aluminium entrance doors are composed of high-quality, high-end components that guarantee perfection even in basic models.



GLAZING
With photo print

COLOURS
Standard and non-standard RAL colours from the MIK palette

HANDLES
Option of round or angular Inox handles of various lengths



LOCKS
Safety locks with a triple-locking mechanism


INOX
door handle



PROFILES
High-quality profiles with an 84 mm total thickness



LOCK CYLINDERS
Standard Winkhaus lock cylinder




ROSETTES
Standard stainless steel door handle roses



M85P PROFILE SYSTEM

The M85P is a higher price bracket system with a full-cover leaf on both sides. Both the exterior and interior sides of the profile are covered by a 3 mm aluminium sheet. The leaf is not visible from either side. With insulation the leaf is 84 mm thick. Standard: argon-filled glazing with $U_g=0.7 \text{ W/m}^2\text{K}$ thermal properties.




The door has a

0,9 $\text{W/m}^2\text{K}$
thermal conductivity,
 $U_g = 0.7 \text{ W/m}^2\text{K}$
with 3 x 6 mm glazing.

SYSTEM SPECIFICATIONS

- Schüco profile system
- Double-sided full-cover filling of 84 mm thickness
- Three-point security lock with Schüco jamb hooks
- Triple sealing of frame and leaf
- 35 mm thermal bridge
- Thermal insulation glass 3 x 6 mm, $U_g=0.7 \text{ W/m}^2\text{K}$
- Three-chamber frame and leaf profile
- Leaf depth 84 mm
- Jamb depth 70 mm
- Total thermal conductivity max. $0.9 \text{ W/m}^2\text{K}$



AM LINE



MIK AM 01



MIK AM 104



MIK CI 101



MIK CI 103



MIK CI 104



MIK CI 116



MIK CI 117

CI LINE

CL LINE



MIK CL 101



MIK CL 103



MIK CL 104



MIK CL 109



MIK CL 110



MIK CL 111



MIK CL 113

CL LINE



MIK CL 117

TD LINE



MIK TD 101



MIK TD 103



MIK TD 105

AL LINE



MIK AL 101



MIK AL 103



MIK AL 108



MIK AL 109



MIK AL 112



MIK AL 114



MIK AL 117

IL LINE



MIK IL 101



MIK IL 102



MIK IL 103



MIK IL 107



MIK IL 108



MIK IL 110



MIK IL 112

Options and extras

HANDLES Unique design Inox door handles



K101
Inox handle with grooves




K102
Inox handle



K200
Inox flat handle



K300
Inox handle



K301
Inox engraved handle

STANDARD handles



ROUND HANDLE
Inox handle in length of your choice, circular profile



ANGULAR HANDLE
Inox handle in length of your choice, angular profile with bevelled ends

LED illumination



By opting to have parts of your door illuminated with the latest LED you can add a very attractive quality to your door and impress your visitors. Come nightfall, your door will take on a completely new appearance.

FINGERPRINT scanner



E-key reader

SPECIAL handles



R83A
800 mm



R81A
950 mm



R82A
500 mm



R80A
60 x 600 mm




R87A
600 mm



R84A
225 mm



R85A
380 mm



R86A
380 mm